



ellora

Bakery Equipments

Commit with Quality

Fascinating display cabinets for your privileged products



www.ellorabakeryequipments.com

ellora 


About Us

ELLORA BAKERY EQUIPMENTS

Ellora is known for its aesthetic nature, Quality & innovation. Empowering Food & Beverage Industries. We are backed by an amazing team of over a decade of experienced Professional Engineers & with State of art technology, we are pioneers in the field of manufacturing best quality durable materials. Two well-equipped manufacturing units at Trichy, the industrial hub & center of Tamil Nadu. Suited at the heart of tamil Nadu we are at an easy reach to you.

With Ellora the best quality refrigerated, heated and ambient display & storage cabinets for a wide variety of foods. We have provided service & products for a the top retailers, Bakery, Institutions, Sweet Stalls, Restaurants, Food courts, Hotels, Super markets, Ice cream parlors, pastry shops etc Ellora bakery & display equipments are available in custom sizes tailored for your needs, Elegant & colored for your interior as well.

We have an extremely experienced history in making graceful & quality products that enhances and preserves the food to the highest quality possible. We have an engineering unit that also makes manufacturing equipments, ovens trays trolley & Refrigeration equipments for your needs & deeds



Professional Bakeries

more choice for the food service
and bakery industry

NEW GEN DISPLAY

NEW GEN DISPLAY



STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Choice Of Vitrified (or) Jet Black Granite For Display Top.
- Choice Of Stainless Steel Finish (or) Corian Finish .
- Smart LED lighting for reduced energy consumption.
- Aluminum Light Canopy With Polycarbonate Diffuser.
- Rear Italian Aluminum Sliding System.
- Heavy Nylon Leg Bush (or) Wheel.
- Ventilated Refrigeration System.
- Side Glass With Ceramic Printing.
- Power Supply - 230v/ single phase / 50HZ.
- Rack Glass With SS Mirror Finish Stopper.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Perfect Product Visibility All Over The Sides.
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

DISPLAY CABINET

STANDARD FEATURES :

- Commercial heavy duty stainless steel welded frame construction
- AISI 304 stainless steel mirror finish exterior
- Choice of stainless steel finish (or) corian finish (LG make)
- Rear Italian Aluminium sliding system
- Havells make LED lighting
- Ventillated refrigeration system



FLORA

- Condensing unit for operation up to +43°C ambient, low noise danfoss or emerson compressor
- Heavy nylon leg bush (or) wheel
- TILT - forward front tempered glass with italian make aluminium section
- Rack glass with SS mirror finish stopper
- Side glass with ceramic printing
- Electronic control panel with digital thermometer and thermostat
- Perfect product visibility all over the sides
- Power supply - 230v/ single phase / 50HZ



ANDRIA
TILT FORWARD OPEN

DISPLAY CABINET

STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Choice Of Vitrified (or) Jet Black Granite For Display Top.
- Choice Of Stainless Steel Finish (or) Corian Finish .
- Smart LED lighting for reduced energy consumption.
- Aluminum Light Canopy With Polycarbonate Diffuser.
- Rear Italian Aluminum Sliding System.



ORION



OLIVIA

- Heavy nylon leg bush (or) wheel
- Ventilated refrigeration system
- Side glass with ceramic printing
- Power supply - 230v/ single phase / 50HZ
- Rack glass with SS Mirror finish stopper
- Electronic control panel with digital thermometer and thermostat
- Perfect product visibility all over the sides
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise danfoss or emerson compressor

TILD FORWARD OPEN DISPLAY

STANDARD FEATURES :

- Commercial heavy duty stainless steel welded frame construction
- AISI 304 stainless steel mirror finish exterior
- Choice of stainless steel finish (or) corian finish (LG make)
- Rear Italian Aluminium sliding system
- Havells make LED lighting
- Ventillated refrigeration system
- Condensing unit for operation up to +43°c ambient, low noise danfoos or emerson compressor



EB007

- Heavy nylon leg bush (or) wheel
- TILT - forward front open tempered glass with italian make aluminium section
- Rack glass with SS mirror finish stopper
- Side glass with ceramic printing
- Electronic control panel with digital thermometer and thermostat
- Perfect product visibility all over the sides
- Power supply - 230v/ single phase / 50HZ



EB008

SAVOURIES COUNTER

STANDARD FEATURES :

- Commercial heavy duty stainless steel welded frame construction
- AISI 304 stainless steel interior and exterior
- Choice of vitrified (or) jet black granite for display top
- Heavy duty sliding system assembly for each drawers
- Side glass with ceramic printing
- Perfect product visibility all over the sides
- Choice of stainless steel finish (or) corian finish (LG make)
- Havells Make LED Lighting
- Power supply - 230v/ single phase / 50HZ
- Heavy Nylon Leg Bush (or) Wheel



SAFFRON / SAFFRON MINI DISPLAY



SAFFRON

- Heavy Nylon Leg Bush (or) Wheel.
- Ventilated Refrigeration System.
- Side Glass With Ceramic Printing.
- Power Supply - 230v/ single phase / 50HZ.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Perfect Product Visibility All Over The Sides.
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Front ,Top And Side Glass Using Tempered HD Digital Printing Glasses.
- Display Top Fully corian assembly .
- Choice Of Stainless Steel Finish (or) Corian Finish .
- Smart LED lighting for reduced energy consumption.
- Aluminum Light Canopy With Polycarbonate Diffuser.
- Front OR Rear Italian Aluminum Sliding System.



SAFFRON MINI

SWEET DISPLAY / ICE BERG DISPLAY

STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Choice Of Vitrified (or) Jet Black Granite For Display Top.
- Choice Of Stainless Steel Finish (or) Corian Finish .
- Smart LED lighting for reduced energy consumption.
- Aluminum Light Canopy With Polycarbonate Diffuser.
- Rear Italian Aluminum Sliding System.
- Heavy Nylon Leg Bush (or) Wheel.



NICOLA



ICE BERG

- UNDER STORAGE Static Refrigeration System.
- Ventilated Refrigeration System.
- Side Glass With Ceramic Printing.
- Power Supply - 230v/ single phase / 50HZ.
- Rack Glass With SS Mirror Finish Stopper.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Perfect Product Visibility All Over The Sides.
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

UP RIGHT FRONT OPEN DISPLAY

STANDARD FEATURES :

- Commercial heavy duty stainless steel welded frame construction
- AISI 304 stainless steel mirror finish exterior
- Choice of stainless steel finish (or) corian finish (LG make)
- Rear Italian Aluminium sliding system
- Havells make LED lighting
- Aluminium light canopy with polycarbonate diffuser
- Ventillated refrigeration system
- Heavy nylon leg bush (or) wheel
- [®] Lift-up tempered front glass with shower hinges



EB003

- Side Glass with ceramic printing
- Electronic control panel with digital thermometer and thermostat
- Perfect product visibility all over the sides
- Defrosting system by time and temperature automatically
- Power supply - 230/v single phase / 50HZ
- Condensing unit for operation up to +43°C ambient, low noise danfoss compressor



EB004

DISPLAY CABINET

STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Choice Of Vitrified (or) Jet Black Granite For Display Top.
- Choice Of Stainless Steel Finish (or) Corian Finish .
- Smart LED lighting for reduced energy consumption.
- Aluminum Light Canopy With Polycarbonate Diffuser.
- Rear Italian Aluminum Sliding System.



EB005



EB006

- Heavy nylon leg bush (or) wheel
- Ventilated refrigeration system
- Side glass with ceramic printing
- Power supply - 230v/ single phase / 50HZ
- Rack glass with SS Mirror finish stopper
- Electronic control panel with digital thermometer and thermostat
- Perfect product visibility all over the sides
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise danfoss or emerson compressor

DISPLAY CABINATE

STANDARD FEATURES :

- Commercial heavy duty stainless steel welded frame construction.
- AISI 304 stainless steel interior and exterior.
- Clear tempered end shelves glass.
- Choice of vitrified (or) jet black granite for display top.
- Choice of stainless steel finish (or) corian finish (LG make).
- Havells make LED lighting.
- Aluminium light canopy with polycarbonate diffuser
- Rear italian aluminium sliding system.

EB001



EB002



- Heavy Nylon Leg Bush (or) Wheel.
- Ventilated Refrigeration System.
- Side Glass With Ceramic Printing.
- Power Supply - 230v / single phase / 50HZ.
- Rack Glass With SS Mirror Finish Stopper.
- Electronic Control Panel With Digital Thermometer and Thermostat.
- Perfect Product Visibility All Over the Sides.
- Defrosting system by time and temperature automatically.
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor

ICE CREAM DISPLAY / COLD STONE

STANDARD FEATURES :

- Commercial heavy duty stainless steel welded frame construction
- AISI 304 stainless steel interior and exterior
- Choice of stainless steel finish (or) corian finish (LG make)
- Traditional static refrigeration system with high efficiency
- Rear polycarbonate 8mm thickness sliding system
- Inclined display of ICE CREAM
- Front glass and side glass using tempered HD digital printing glasses
- Havells make LED lightings



ICE CREAM DISPLAY



COLD STONE



- Heavy nylon leg bush (or) wheel
- Electronic control panel with digital thermometer and thermostat
- Front, side, and work top panels are using high quality corian (LG) materials
- Designed for 1/4x6" deep SS 304 GN pans-4liters capacity
- Power supply 230v/ single phase/ 50HZ
- Condensing unit for operation up to +43°C ambient, low noise danfoss or emerson compressor

FOOD DISPLAY HBM / FISH & MEAT DISPLAY



FOOD DISPLAY HBM

- Choice Of Stainless Steel Finish (or) Corian Finish
- Front ,Top And Side Glass Using Tempered HD Digital Printing Glasses.
- Smart LED lighting for reduced energy consumption.
- Heavy Nylon Leg Bush (or) Wheel.
- Front , Side , And Work Top Panels are using high quality corian materials.
- Power Supply 230v/Single phase/50 HZ.
- Traditional Static Refrigeration System With High Efficiency.
- Inclined Display FISH & MEAT.

STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Seam welded stainless steel tank.
- 5 NOS- (1/1)*150mm deep GN Pan with Lid
- The smooth temperature regulation is provided from +30°C to +85°C.
- 2 Nos. 2 KW S.Stubing heating element & element clamped.
- Control panel complete with ON/OFF switch ,indicator light & adjustable thermostat.
- Electronic Control Panel With Digital Thermometer And Thermostat
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.



FISH & MEAT DISPLAY

SNACKS COUNTER / CHAT COUNTER

STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Mirror finish Exterior
- Choice Of Stainless Steel Finish (or) Corian Finish.
- Multi purpose potential clear view display for active merchandise solution
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob



SNACKS COUNTER



CHAAT COUNTER

- Heavy duty top cast iron
- Removable Type Drip Tray
- Ideal option for hyper market, restaurant and fast foods
- Side Glass With Ceramic Printing.
- Power Supply 230v/Single phase/50 H

PIZZA COUNTER / SALAD BAR



PIZZA COUNTER

- Digital Controller -Precisely Control And Display The Temperature Or Food As Per User Requirement.
- 6 NOS- (1/2)*150mm deep GN Pan with Lid- COLD BAIN MARIE
- 2 NOS- (1/2)*150mm deep GN Pan with Lid- HOTBAIN MARIE
- The smooth temperature regulation is provided from +30°C to +85°C.
- 2 Nos. 2 KW S.Stubing heating element & element clamped.
- Control panel complete with ON/OFF switch ,indicator light & adjustable thermostate

STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Seam welded stainless steel tank.
- Choice Of Stainless Steel Finish (or) Corian Finish.
- Traditional Static Refrigeration System With High Efficiency.
- Stainless steel shelves, adjustable height and easy removal
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.
- Ideal option for hyper market , restaurant and fast foods



SALAD BAR

REACH INN / UNDER COUNTER

STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Digital Controller -Precisely Control And Display The Temperature Of Food As Per User Requirement.
- Removable Gasket For Cleaning And Replacement.
- Openable And Spring Loaded Self - Closing Door.
- Adjustable Bullet Feet Range 100 - 150mm.
- The Height Of The Shelves Is Adjustable As Per The Size Of Stored Product.



EB014



EB015

- 75mm Thickness Insulation For Better Heat Preservation, Reduced Energy Consumption
- Castor With Brake (Optional).
- Defrosting System By Time And Temperature Automatically.
- Static Refrigeration System.
- Power Supply 230v/Single phase/50 HZ.
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

REACH INN / UNDER CONVERTER VISI COOLER

STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Digital Controller- Precisely Control and Display the temperature or Food as per user Requirement.
- Removable Gasket for cleaning and replacement
- Adjustable bullet feet range 100-150mm



EB016



- Plastic coated wire shelves, adjustable height and easy removal
- Door with double glazing glass
- Openable and spring loaded self - closing Door
- 75mm Thickness Insulation for better heat preservation, reduced energy consumption
- Castor with brake (optional)
- Defrosting system by time and and temperature automatically
- Static refrigeration system
- Power supply 230v/ single phase/50 HZ



EB017

REACH INN

STANDARD FEATURES :

- Commercial heavy duty stainless steel welded frame construction
- AISI 304 stainless steel interior and exterior
- Digital controller - precisely control and display the temperature of food as per user requirement
- Removable Gasket for cleaning and Replacement
- Openable and spring loaded self - closing door
- Adjustable bullet feet range 100 - 150mm
- The height of the shelves is adjustable as the size of stored product



EB018



EB019

- 75mm thickness insulation for better heat preservation energy consumption
- Castor with brake (optional)
- Defrosting system by time and temperature automatically
- Static refrigeration system
- Power supply 230v/Single phase/50 HZ
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or emerson compressor

PUFFS WARMER / WATER COOLER

STANDARD FEATURES :

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- The smooth temperature regulation is provided from +30°C to +85°C.
- 1 Nos. 1KW S.Stubing heating element & element clamped.
- Control panel complete with ON/OFF switch ,indicator light & adjustable thermostat.
- Choice Of Stainless Steel Finish. Heavy Nylon Leg Bush (or) Wheel.
- Choice Of Stainless steel (or) Jet Black Granite For Display Top.
- Power Supply 230v/Single phase/50 HZ.
- The Height Of The Shelves Is Adjustable As Per The Size Of Stored Product.
- 50mm Thickness Insulation For Better Heat Preservation, Reduced Energy Consumption

PUFFS WARMER



WATER COOLER

ELLORA understands that the consumption of chilled water in places like schools, colleges, offices and other commercial buildings always high and frequent. Hence a robust water cooler, which cools water super fast is needed.

Commercial Heavy Duty Stainless Steel Welded Frame Construction, AISI 304 Stainless Steel Interior And Exterior, Seam welded stainless steel tank, Adjustable cold water thermostat, Faster cooling and Eco friendly, Removable Gasket For Cleaning And Replacement, Adjustable Bullet Feet Range 100 - 150mm, 75mm Thickness Insulation For Better Heat Preservation, Reduced Energy Consumption, Castor With Brake (Optional), Defrosting System By Time And Temperature Automatically, Static Refrigeration System, Power Supply 230v/Single phase/50 HZ, Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

GLIMPSE OF EXHIBITION



TECHNICAL SPECIFICATION

MODEL	CAPACITY IN LITERS	DIMENSION LXWXH IN INCHES	TEMPERATURE RANGE	POWER IN WATTS	NO OF SHELVES OR GN PANS	BULLET FEET OR WHEELS	
DISPLAY CABINATE	2A		24"x26"x46"		20	STANDARD THREE SHELVES 2 or 4 OPTIONAL	OPTIONAL
	2H		24"x26"x46"	65 °c To 75 °c	820		
	2'6"A		30"x26"x46"		25		
	2'6"H		30"x26"x46"	65 °c To 75 °c	825		
	3C		36"x26"x46"	+4°c To +8°c	990		
	3H		36"x26"x46"	65°c To 75°c	830		
	3A		36"x26"x46"		50		
	4C		48"x26"x46"	+4°c To +8°c	1046		
	4H		48"x26"x46"	65°c To 75°c	1116		
	4A		48"x26"x46"		86		
	5C		60"x26"x46"	+4°c To +8°c	1060		
	5H		60"x26"x46"	65°c To 75°c	1660		
	5A		60"x26"x46"		100		
	6C		72"x26"x46"	+4°c To +8°c	1326		
6H		72"x26"x46"	65°c To 75°c	1696			
6A		72"x26"x46"		136			
ICE CREAM DISPLAY	12 FLV	50 Liters	48"x30"x46"	-18°c To -23°c	722	GN PAN 1/4X150 MM DEEP-12No's	WHEEL
	16 FLV	70 Liters	60"x34"x46"	-18°c To -23°c	1117	GN PAN 1/4X150 MM DEEP-16No's	WHEEL
WATER COOLER		80 Liters	27"x25"x60"	+8°c	1180		OPTIONAL
		120 Liters	27"x25"x60"	+8°c	1180		OPTIONAL
COLD STONE	4C	180 Liters	48"x35"x46"	-30°c (F) -5°c (C) +75°c (H)	1378	GN PAN 1/4X150 MM DEEP-1 No 1/6X100 MM DEEP-9 No'S	WHEEL
PUFFS WARMER	2H	200 PUFFS	25"x25"x51"	80°c To 100°c	1550	5	WHEEL

*Specification subject to change due to continuous product development

TECHNICAL SPECIFICATION

MODEL	CAPACITY IN LITERS	DIMENSION LXWXH IN INCHES	TEMPERATURE RANGE	POWER IN WATTS	NO OF SHELVES OR GN PANS	BULLET FEET OR WHEELS
REACH INN CHILLER [C] FREEZER [F]	300 Ltrs (C)	25"x28"x74"	0°c To -5°c	325	5	STANDARD BULLET FEET(S) & WHEEL OPTIONAL
	300 Ltrs (F)	25"x28"x74"	-10°c To -15°c	325	5	
REACH INN CHILLER [C] FREEZER [F]	500 Ltrs (C)	27"x30"x80"	0°c To -5°c	325	5	
	500 Ltrs (F)	27"x 30"x80"	-10°c To -15°c	325	5	
REACH INN CHILLER [C] FREEZER [F]	700 Ltrs (C)	44"x28"x80"	0°c To -5°c	485	5	
	700 Ltrs (F)	44"x28"x80"	-10°c To -15°c	485	5	
REACH INN CHILLER [C] FREEZER [F]	1000 Ltrs (C)	54"x30"x80"	0°c To -5°c	580	5	
	1000 Ltrs (F)	54"x30"x80"	-10°c To -15°c	580	5	
WORK TOP UNDER COUNTER CHILLER [C] / FREEZER [F]	300 Ltrs (C)	60"x28"x35"	0°c To -5°c	325	2	
	300 Ltrs (F)	60"x28"x35"	-10°c To -18°c	325	2	
WORK TOP UNDER COUNTER CHILLER [C] / FREEZER [F]	400 Ltrs (C)	72"x28"x35"	-0°c To -5°c	485	2	
	400 Ltrs (F)	72"x28"x35"	-10°c To -18°c	485	5	
REACH INN VISI COOLER & WORK TOP VISI COOLER	300 Ltrs	25"x28"x80"	+4°c To 8°c	325	5	
	500 Ltrs	27"x30"x80"	+4°c To +8°c	325	5	
	700 Ltrs	44"x28"x80"	+4°c To 8°c	485	5	
	1000 Ltrs	54"x30"x80"	+4°c To 8°c	580	5	
	300 Ltrs (WT)	60"x28"x35"	+4°c To 8°c	325	2	
	400 Ltrs (WT)	72"x28"x35"	+4°c To 8°c	485	2	
SAVOURIES COUNTER (Karam)	3FT	36" x 26" x 46"		55	9 FLV	OPTIONAL
	4FT	48" x 26" x 46"		80	12 FLV	
	5FT	60" X 26" X 46"		95	15 FLV	
	6FT	72" X 26" X 46"		110	18 FLV	

*Specification subject to change due to continuous product development