

Fascinating Display Cabinets
for your privileged products



ABOUT US

ELLORA BAKERY EQUIPMENTS

Ellora is known for its aesthetic nature, Quality & innovation. Empowering Food & Beverage Industries. We are backed by an amazing team of over a decade of experienced Professional Engineers & with State of art technology, we are pioneers in the field of manufacturing best quality durable materials. Two well-equipped manufacturing units at Trichy, the industrial hub & center of Tamil Nadu. Suited at the heart of tamil Nadu we are at an easy reach to you.

With Ellora the best quality refrigerated, heated and ambient display & storage cabinets for a wide variety of foods. We have provided service & products for a the

top retailers, Bakery, Institutions, Sweet Stalls, Restaurants, Food courts, Hotels, Super markets, Ice cream parlors, pastry shops etc Ellora bakery & display equipments are available in custom sizes tailored for your needs, Elegant & colored for your interior as well.

We have an extremely experienced history in making graceful & quality products that enhances and preserves the food to the highest quality possible. We have an engineering unit that also makes manufacturing equipments, ovens trays trolley & Refrigeration equipments for your needs & deeds

Professional Bakeries
more choice for the food service
and bakery industry



NEW GEN DISPLAY



- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Choice Of Vitrified (or) Jet Black Granite For Display Top.
- Choice Of Stainless Steel Finish (or) Corian Finish.
- Smart LED lighting for reduced energy consumption.
- Aluminum Light Canopy With Polycarbonate Diffuser.
- Rear Italian Aluminum Sliding System.
- Heavy Nylon Leg Bush (or) Wheel.
- Ventilated Refrigeration System.
- Side Glass With Ceramic Printing.
- Power Supply - 230v/ single phase / 50HZ.
- Rack Glass With SS Mirror Finish Stopper.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Perfect Product Visibility All Over The Sides.
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

NEW GEN TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
3A	---	36" X 27" X 48"	---	70	STANDARD THREE SHELVES 2 or 4 OPTIONAL	OPTIONAL
3C	---	36" X 27" X 48"	+4 °c To + 8 °c	1212		
3H	---	36" X 27" X 48"	30 °c To 75 °c	1120		
4A	---	48" X 27" X 48"	---	100		
4C	---	48" X 27" X 48"	+4 °c To + 8 °c	1136		
4H	---	48" X 27" X 48"	30 °c To 75 °c	1140		
5A	---	60" X 27" X 48"	---	116		
5C	---	60" X 27" X 48"	+4 °c To + 8 °c	1422		
5H	---	60" X 27" X 48"	30 °c To 75 °c	1400		

SAFFRON DISPLAY



- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Front, Top And Side Glass Using Tempered HD Digital Printing Glasses.
- Display Top Fully corian assembly.
- Choice Of Stainless Steel Finish (or) Corian Finish.
- Smart LED lighting for reduced energy consumption.
- Aluminum Light Canopy With Polycarbonate Diffuser.
- Front OR Rear Italian Aluminum Sliding System.
- Heavy Nylon Leg Bush (or) Wheel.
- Ventilated Refrigeration System.
- Side Glass With Ceramic Printing.
- Power Supply - 230v/ single phase / 50HZ.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Perfect Product Visibility All Over The Sides.
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

SAFFRON TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
3A	---	36" X 26" X 70"	---	98	STANDARD FOUR SHELVES	WHEEL
3C	---	36" X 26" X 70"	+4 °c To + 8 °c	1120		
3H	---	36" X 26" X 70"	30 °c To 75 °c	1714		
4A	---	48" X 26" X 70"	---	128		
4C	---	48" X 26" X 70"	+4 °c To + 8 °c	1215		
4H	---	48" X 26" X 70"	30 °c To 75 °c	1745		
5A	---	60" X 26" X 70"	---	156		
5C	---	60" X 26" X 70"	+4 °c To + 8 °c	1190		
5H	---	60" X 26" X 70"	30 °c To 75 °c	1865		

SAFFRON MINI DISPLAY



- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Front, Top And Side Glass Using Tempered HD Digital Printing Glasses.
- Display Top Fully corian assembly .
- Choice Of Stainless Steel Finish (or) Corian Finish .
- Smart LED lighting for reduced energy consumption.
- Aluminum Light Canopy With Polycarbonate Diffuser.
- Front OR Rear Italian Aluminum Sliding System.
- Heavy Nylon Leg Bush (or) Wheel.
- Ventilated Refrigeration System.
- Side Glass With Ceramic Printing.
- Power Supply - 230v/ single phase / 50HZ.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Perfect Product Visibility All Over The Sides.
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

SAFFRON MINI TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
3A	---	36" X 26" X 65"	---	98	STANDARD FOUR SHELVES	WHEEL
3C	---	36" X 26" X 65"	+4 °c To + 8 °c	1120		
3H	---	36" X 26" X 65"	30 °c To 75 °c	1714		
4A	---	48" X 26" X 65"	---	128		
4C	---	48" X 26" X 65"	+4 °c To + 8 °c	1136		
4H	---	48" X 26" X 65"	30 °c To 75 °c	1745		
5A	---	60" X 26" X 65"	---	152		
5C	---	60" X 26" X 65"	+4 °c To + 8 °c	1190		
5H	---	60" X 26" X 65"	30 °c To 75 °c	1865		

ICE BERG DISPLAY



- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Front ,Top And Side Glass Using Tempered HD Digital Printing Glasses.
- UNDER STORAGE Static Refrigeration System.
- Ventilated Refrigeration System.
- Choice Of Vitrified (or) Jet Black Granite For Display Top.
- Choice Of Stainless Steel Finish (or) Corian Finish .
- Smart LED lighting for reduced energy consumption.
- Aluminum Light Canopy With Polycarbonate Diffuser.
- Rear Italian Aluminum Sliding System.
- Heavy Nylon Leg Bush (or) Wheel.
- Side Glass With Ceramic Printing.
- Power Supply - 230v/ single phase / 50HZ.
- Rack Glass With SS Mirror Finish Stopper.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Perfect Product Visibility All Over The Sides.
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

ICE BERG TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
3A	---	36" X 32" X 51"	---	30	STANDARD ONE SHELVES	OPTIONAL
3H	---	36" X 32" X 51"	30 °c To 75 °c	1644		
4A	---	48" X 32" X 51"	---	40		
4C	---	48" X 32" X 51"	0 °c To - 5 °c	1105		
4H	---	48" X 32" X 51"	30 °c To 75 °c	1754		
5A	---	60" X 32" X 51"	---	60		
5C	---	60" X 32" X 51"	0 °c To - 5 °c	900		
5H	---	60" X 32" X 51"	30 °c To 75 °c	2420		

SWEET DISPLAY



- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Clear Tempered End Shelves Glass.
- Choice Of Vitrified (or) Jet Black Granite For Display Top.
- Choice Of Stainless Steel Finish (or) Corian Finish .
- Smart LED lighting for reduced energy consumption.
- Aluminum Light Canopy With Polycarbonate Diffuser.
- Rear Italian Aluminum Sliding System.
- Heavy Nylon Leg Bush (or) Wheel.
- Ventilated Refrigeration System.
- Side Glass With Ceramic Printing.
- Power Supply - 230v/ single phase / 50HZ.
- Rack Glass With SS Mirror Finish Stopper.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Perfect Product Visibility All Over The Sides.
- Defrosting system by time and temperature automatically
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

SWEET DISPLAY TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
3C	---	36" x 26" x 46"	+4 °c To + 8 °c	1212	STANDARD THREE SHELVES 2 or 4 OPTIONAL	OPTIONAL
3H	---	36" x 26" x 46"	65 °c To 75 °c	1120		
3A	---	36" x 26" x 46"	---	70		
4C	---	48" x 26" x 46"	+4 °c To + 8 °c	1136		
4H	---	48" x 26" x 46"	65 °c To 75 °c	1140		
4A	---	48" x 26" x 46"	---	100		
5C	---	60" x 26" x 46"	+4 °c To + 8 °c	1422		
5H	---	60" x 26" x 46"	65 °c To 75 °c	1400		
5A	---	60" x 26" x 46"	---	116		



- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Seam welded stainless steel tank.
- 5 NOS- (1/1)*150mm deep GN Pan with Lid
- The smooth temperature regulation is provided from +30°C to +85°C.
- 2 Nos. 2 KW S.S tubing heating element & element clamped.
- control panel complete with ON/OFF switch ,indicator light & adjustable thermostate.
- Choice Of Stainless Steel Finish (or) Corian Finish
- Front , Top And Side Glass Using Tempered HD Digital Printing Glasses.
- Smart LED lighting for reduced energy consumption.
- Heavy Nylon Leg Bush (or) Wheel.
- Front , Side , And Work Top Panels are using high quality corian materials.
- Power Supply 230v/Single phase/50 HZ.

FOOD DISPLAY HBM TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
EB HBM	120 Ltrs	60" X 36" X 51"	30°C TO 75°C	2000	---	OPTIONAL

FISH & MEAT DISPLAY



- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Seam welded stainless steel tank.
- Choice Of Stainless Steel Finish (or) Corian Finish.
- Traditional Static Refrigeration System With High Efficiency.
- Rear Polycarbonate 8mm Thickness Sliding System.
- Front , Top And Side Glass Using Tempered HD Digital Printing Glasses.
- Inclined Display FISH & MEAT.
- Front Glass And Side Glass Using Tempered HD Digital Printing Glasses.
- Smart LED lighting for reduced energy consumption.
- Heavy Nylon Leg Bush (or) Wheel.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Front , Side , And Work Top Panels are using high quality corian materials.
- Power Supply 230v/Single phase/50 HZ.
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

FISH & MEAT DISPLAY TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
EB CBM	110 Ltrs	60" X 36" X 51"	0°C TO - 5°C	420	---	OPTIONAL

5' SALAD BAR



- Commercial Heavy Duty Stainless Steel Welded Frame Construction
- Traditional Static Refrigeration System With High Efficiency.
- Front and side panels are American wall nut wood finish
- Seam welded stainless steel tank
- Ideal option for hyper market , restaurant and fast foods
- Digital Controller -Precisely Control And Display The Temperature Or Food As Per User Requirement.
- Power Supply 230v/Single phase/50 H
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.
- 6 NOS- (1/2)*150mm deep GN Pan with Lid-COLD BAIN MARIE
- 2 NOS- (1/2)*150mm deep GN Pan with Lid- HOTBAIN MARIE
- The smooth temperature regulation is provided from +30°C to +85°C.
- 2 Nos. 2 KW S.S tubing heating element & element clamped.
- Control panel complete with ON/OFF switch ,indicator light & adjustable thermostate.

5' SALAD BAR TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
EB Salad	130 Ltrs	60" X 36" X 51"	30°C TO 75°C	2000	---	OPTIONAL

SNACKS COUNTER




- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Seam welded stainless steel tank.
- The smooth temperature regulation is provided from +30°C to +85°C.
- 2 Nos. 2 KW S.S tubing heating element & element clamped.
- control panel complete with ON/OFF switch ,indicator light & adjustable thermostate.
- Choice Of Stainless Steel Finish (or) Corian Finish
- Front, Top And Side Glass Using Tempered HD Digital Printing Glasses.
- Smart LED lighting for reduced energy consumption.
- Heavy Nylon Leg Bush (or) Wheel.
- Front , Side , And Work Top Panels are using high quality corian materials.
- Power Supply 230v/Single phase/50 HZ.
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.
- Defrosting system by time and temperature automatically

SNACKS COUNTER TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
---	---	60" X 36" X 51"	0°C TO - 5°C	420	---	OPTIONAL

CHAAT COUNTER



- AISI 304 Stainless Steel Mirror finish Exterior
- Choice Of Stainless Steel Finish (or) Corian Finish.
- Multi purpose potential clear view display for active merchandise solution
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray
- Ideal option for hyper market, restaurants and fast foods
- Side Glass With Ceramic Printing.
- Power Supply 230v/Single phase/50 H

CHAAT COUNTER TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Grn Pans	Bullet Feet Or Wheels
4'	---	48" X 32" X 50"	---	---	---	OPTIONAL
5'	---	60" X 32" X 50"	---	---		
6'	---	72" X 32" X 50"	---	---		

PUFFS HEATER



- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Seam welded stainless steel tank.
- Choice Of Stainless Steel Finish (or) Corian Finish.
- Traditional Static Refrigeration System With High Efficiency.
- Rear Polycarbonate 8mm Thickness Sliding System.
- Front , Top And Side Glass Using Tempered HD Digital Printing Glasses.
- Inclined Display FISH & MEAT.
- Front Glass And Side Glass Using Tempered HD Digital Printing Glasses.
- Smart LED lighting for reduced energy consumption.
- Heavy Nylon Leg Bush (or) Wheel.
- Electronic Control Panel With Digital Thermometer And Thermostat.
- Front , Side , And Work Top Panels are using high quality corian materials.
- Power Supply 230v/Single phase/50 HZ.
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

PUFFS HEATER TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
---	---	25" X 25" X 53"	30°C TO 75°C	1563	3 or 4 SHELVES	WHEEL

WATER COOLER



ELLORA UNDERSTANDS

that the consumption of chilled water in places like schools, colleges, offices and other commercial buildings always high and frequent. Hence a robust water cooler, which cools water super fast is needed.

- Commercial Heavy Duty Stainless Steel Welded Frame Construction.
- AISI 304 Stainless Steel Interior And Exterior.
- Seam welded stainless steel tank
- Adjustable cold water thermostat
- Faster cooling and Eco friendly
- Removable Gasket For Cleaning And Replacement.
- Adjustable Bullet Feet Range 100 - 150mm.
- 75mm Thickness Insulation For Better Heat Preservation, Reduced Energy Consumption
- Castor With Brake (Optional).
- Defrosting System By Time And Temperature Automatically.
- Static Refrigeration System.
- Power Supply 230v/Single phase/50 HZ.
- Condensing unit for operation up to +43°C ambient, low noise Danfoss or Emerson compressor.

WATER COOLER TECHNICAL SPECIFICATION

Model	Capacity in Liters	Dimension Lxwxh In Inches	Temperature Range	Power In Watts	No Of Shelves Or Gn Pans	Bullet Feet Or Wheels
---	80 Liters	27" x 25" x 60"	+8 °c	990	---	OPTIONAL
---	120 Liters	27" x 25" x 60"	+8 °c	1190		



OUR SERVICES

We provide excellent & innovative design for kitchen starting from entire layout. Have cut out installation of our design kitchen equipment with the help of our company ELLORA consultants, who is in the hospitality business from 23 years. We manufacture high quality equipment as per individual requirement to each kitchen

COMMERCIAL RANGE

Modern Kitchen Equipments for



Hotel



Mandapam



Canteen



Hostel



Hospitals



Institute Kitchen



Industrial Kitchen

SALES & SUPPORT

Sales is a key of business, we are professionally giving our support always to maintain the relationship with clients. Because client is leading our business

COFFEE KIOSK



ellora 
Bakery Equipments
Commit with Quality
Trichy

No. 17, SIDCO Industrial Estate, Tiruverumbur, Trichy 620014, Tamilnadu, INDIA

Ph: +91 431 2552738 Mob: +91 98424 11922, +91 98650 17051

(W) www.ellorabakeryequipments.com (E) ellora.bak.equ@gmail.com